JAN. 18. 2006 2:29 PM +1-212-319-5101 customer 01933

⁻NO.6077⁻⁻⁻⁻P.2⁻

Appln. No. 09/864,107

Amdt. dated January 18, 2006

Reply to Office Action dated November 1, 2005

IN THE CLAIMS:

Please amend claims 1, 9-12 and 14-18 and add new claims 25-33 as follows. The following listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

5

10

15

Claim 1 (Currently Amended). A method for providing and processing a cursored user interaction with a spatially displayed medical image and producing graphics related data on said medical image, wherein said method comprises the steps of:

providing a menu-less graphical interface; for

displaying, essentially unobstructed, said medical

image in a substantial portion of said graphical interface

without the presence of menus, toolbars and control panels

on said graphical interface;

controlling a mouse computer interface device having at least one button;

displaying a pointer symbol on said graphical interface, wherein said pointer symbol represents a current position of said mouse on said graphical interface;

tracking a status of each of said at least one button;

detecting a position of said mouse, wherein said

position detection step is activated upon actuation of one

of said at least one button;

[™]NO. 6077[™]P. 3

J'AN. 18. 2006 2:30PM +1-212-319-5101 customer 01933

Appln. No. 09/864,107

25

30

35

Amdt. dated January 18, 2006

Reply to Office Action dated November 1, 2005

generating one of a plurality of different measurement

graphics related to a predefined set of measurement

operations on said medical image upon at least one actuation

of said at least one button;

when said medical image is displayed on said graphical interface without the presence of menus, toolbars and control panels, enabling the generation of the plurality of at least three different measurement graphics based only upon actuation of said at least one button of said mouse when said pointer symbol is situated on said medical image without actuation of said at least one button of said mouse when said pointer symbol is situated on menus, toolbars and control panels such that the measurement graphics are generated without movement of said pointer symbol outside of said medical image, and

enabling the generation of the <u>at least three</u>

measurement graphics without requiring a user to define

[[a]] <u>in advance the</u> type of <u>graphics measurement graphic</u>

being generated , wherein one of the measurement graphics is an angle value quantity which is assigned to a middle point of a triple-point actuating/positioning.

Claim 2 (Original). A method as claimed in Claim 1, wherein a single-point actuating/positioning assigns an actual pixel

JAN. 18. 2006 2:30 PM +1-212-319-5101 customer 01933

NO. 6077 P. 4

Appln. No. 09/864,107

Amdt. dated January 18, 2006

Reply to Office Action dated November 1, 2005

position and/or a pixel intensity quantity to the point in question.

Claim 3 (Original). A method as claimed in Claim 1, wherein a point pair actuating/positioning assigns a distance value to the pair in question.

Claim 4 (Cancelled).

Claim 5 (Original). A method as claimed in Claim 1, wherein multiple-point actuating/positioning for an open or closed point sequence assigns an area value quantity to a concave region delimited by the sequence in question.

Claim 6 (Original). A method as claimed in Claim 1, wherein a freehand-drawn actuating/positioning for an open or closed curve assigns an area value quantity to a concave region delimited by said curve.

Claim 7 (Original). A method as claimed in Claim 1, wherein multiple-point actuating/positioning for an open or closed sequence assigns a poly-line measurement quantity to the sequence so drawn.

JAN. 18. 2006 2:30PM +1-212-319-5101 customer 01933

Appln. No. 09/864,107

Amdt. dated January 18, 2006

Reply to Office Action dated November 1, 2005

Claim 8 (Original). A method as claimed in Claim 1, wherein a freehand-drawn actuating/positioning for an open or closed sequence assigns a measurement quantity to the freehand sequence so drawn.

NO. 6077 P. 5

Claim 9 (Currently Amended). A method as claimed in $\frac{\text{any of}}{\text{claim 2}}$ Claim 2, $\frac{3}{5}$, $\frac{6}{6}$, $\frac{7}{6}$ or 8, further comprising assigning a pixel staticizing to an assigned geometrical entity.

Claim 10 (Currently Amended). An apparatus arranged to provide and process a cursored user interaction with a spatially displayed medical image, wherein said apparatus comprises:

a menu-less graphical interface for displaying arranged to

display, essentially unobstructed, said medical image in a substantial portion of said graphical interface without the presence of menus, toolbars and control panels on said graphical interface;

a pointing device having at least one button, wherein said

10 pointing device is represented on said graphical interface by a

standardized pointer symbol and wherein said pointer symbol

represents a current position of said pointing device within the

context of said graphical interface;

a processor configured to detect an actuation of each of

15 said at least one button of said pointing device and track

positions of said pointing device; and

Appln. No. 09/864,107

20

25

30

Amdt. dated January 18, 2006

Reply to Office Action dated November 1, 2005

a processor-internal list of measurement operations, said measurement operations being performed upon at least one actuation of the at least one button and producing at least three corresponding, different measurement graphics on said medical image,

image is displayed on said graphical interface without the presence of menus, toolbars and control panels, the plurality of at least three different measurement graphics based on said list of measurement operations based only upon actuation of said at least one button of said pointing device when said pointer symbol is situated on said medical image without actuation of said at least one button of said pointing device when said pointer symbol is situated on menus, toolbars and control panels such that the measurement graphics are produced without movement of said pointer symbol outside of said medical image + and accigning means for assigning an angle value quantity to a middle point of a triple point actuating/positioning.

Claim 11 (Currently Amended). An apparatus as claimed in Claim 10, wherein said further comprising assigning means assigns for assigning an actual pixel position and/or a pixel intensity quantity to a point upon a single-point actuating/positioning.

JAN. 18. 2006 2:31PM +1-212-319-5101 customer 01933

[−]NO.6077^{−−−}P.7[−]

Appln. No. 09/864,107

5

5

Amdt. dated January 18, 2006

Reply to Office Action dated November 1, 2005

Claim 12 (Currently Amended). An apparatus as claimed in Claim 10, wherein said further comprising assigning means assigns for assigning a distance value to a point pair upon a point pair actuating/positioning.

Claim 13 (Cancelled).

Claim 14 (Currently Amended). An apparatus as claimed in Claim 10, wherein said further comprising assigning means assigns for assigning an area value quantity to a concave region delimited by an open or closed point sequence upon a multiple-point actuating/positioning for the open or closed point sequence.

Claim 15 (Currently Amended). An apparatus as claimed in Claim 10, wherein said further comprising assigning means assigned for assigning an area value quantity to a concave region delimited by an open or closed curve upon a freehand-drawn actuating/positioning for the open or closed curve.

Claim 16 (Currently Amended). An apparatus as claimed in Claim 10, wherein said <u>further comprising</u> assigning means assigns for assigning a poly-line measurement quantity to an open or closed sequence upon a multiple-point actuating/positioning of the open or closed sequence.

JAN. 18. 2006 2:31PM Appln. No. 09/864,107 Amdt. dated January 18, 2006

5

5

10

Reply to Office Action dated November 1, 2005

Claim 17 (Currently Amended). An apparatus as claimed in Claim 10, wherein said further comprising assigning means assigns for assigning a measurement quantity to a freehand open or closed sequence upon a freehand-drawn actuating/positioning of the open or closed sequence.

Claim 18 (Currently Amended). An apparatus as claimed in any of Claim 11, 12, 14, 15, 16 or 17, further comprising staticizing means for assigning a pixel staticizing to an assigned geometrical entity.

Claim 19 (Previously Presented). A machine readable computer program, said program implementing a menu-less graphical interface and arranged for processing cursored user interaction with a spatially displayed medical image for producing graphics related data on such image, for implementing a method as claimed in Claim 1, said program being arranged for sensing mouse positionings and/or actuations and for effecting inherent measuring functionalities based on relative such positionings with respect to an associated imaged medical object, and for subsequently outputting representations of said measuring functionalities for displaying in association with said medical object.

__NO. 6077___P. 9_

JAN. 18. 2006 2:31PM +1-212-319-5101 customer 01933

Appln. No. 09/864,107

5

5

Amdt. dated January 18, 2006

Reply to Office Action dated November 1, 2005

Claims 20-24 (Cancelled).

Claim 25 (New). A method as claimed in Claim 1, wherein one of the measurement graphics is an angle value quantity which is assigned to a middle point of a continuous triple-point actuating/positioning.

Claim 26 (New). A method as claimed in Claim 1, wherein the at least three measurement graphics include a distance measurement between two points, an angle measurement between two lines formed by three points and an area measurement formed by a series of at least three points with the first and last points in the series being the same point.

Claim 27 (New). A method as claimed in Claim 1, wherein generation of the at least three measurement graphics is enabled immediately after said medical image is displayed on said graphical interface without intervening actuation of said at least one button of said mouse when said pointer symbol is situated on menus, toolbars and control panels.

Claim 28 (New). A method as claimed in Claim 1, further comprising determining which of the at least three measurement graphics is generated based on the number of points selected upon actuation of said at least one button of said mouse.

JAN. 18. 2006 2:31PM +1-212-319-5101 customer 01933

Appln. No. 09/864,107

10

Amdt. dated January 18, 2006

Reply to Office Action dated November 1, 2005

Claim 29 (New). A method as claimed in Claim 1, further comprising determining which of the at least three measurement

graphics is generated based on the topology of points selected

NO. 6077 P. 10

upon actuation of said at least one button of said mouse.

Claim 30 (New). A method as claimed in Claim 1, further comprising determining which of the at least three measurement graphics is generated based on the number and topology of points selected upon actuation of said at least one button of said mouse.

Claim 31 (New). An apparatus as claimed in Claim 10, further comprising assigning means for assigning an angle value quantity to a middle point of a continuous triple-point actuating/positioning.

Claim 32 (New). An apparatus as claimed in Claim 10, wherein the at least three measurement graphics include a distance measurement between two points, an angle measurement between two lines formed by three points and an area measurement formed by a series of at least three points with the first and last points in the series being the same point.

JAN. 18. 2006 2:32PM +1-212-319-5101 customer 01933

Appln. No. 09/864,107

Amdt. dated January 18, 2006

Reply to Office Action dated November 1, 2005

Claim 33 (New). An apparatus as claimed in Claim 10, wherein generation of the at least three measurement graphics is enabled by said processor immediately after said medical image is displayed on said graphical interface without intervening actuation of said at least one button of said pointing device when said pointer symbol is situated on menus, toolbars and control panels.

NO. 6077 P. 11